Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	1	1	2
Diagnosis		% within Sex	2.1%	5.6%	3.1%
	5-12	Count	1	0	1
		% within Sex	2.1%	.0%	1.5%
	13-19	Count	2	0	2
		% within Sex	4.3%	.0%	3.1%
	20-24	Count	5	10	15
		% within Sex	10.6%	55.6%	23.1%
	25-29	Count	6	4	10
		% within Sex	12.8%	22.2%	15.4%
	30-34	Count	9	0	9
		% within Sex	19.1%	.0%	13.8%
	35-39	Count	10	1	11
		% within Sex	21.3%	5.6%	16.9%
	40-44	Count	3	2	5
		% within Sex	6.4%	11.1%	7.7%
	45-49	Count	3	0	3
		% within Sex	6.4%	.0%	4.6%
	50-54	Count	4	0	4
		% within Sex	8.5%	.0%	6.2%
	55-59	Count	1	0	1
		% within Sex	2.1%	.0%	1.5%
	60-64	Count	2	0	2
		% within Sex	4.3%	.0%	3.1%
Total		Count	47	18	65
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Se	2Y	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	28	5	33
		% within Sex	59.6%	27.8%	50.8%
	African American	Count	16	12	28
		% within Sex	34.0%	66.7%	43.1%
	Hispanic	Count	2	1	3
		% within Sex	4.3%	5.6%	4.6%
	Not Specified	Count	1	0	1
		% within Sex	2.1%	.0%	1.5%
Total		Count	47	18	65
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	22	0	22
Exposure		% within Sex	46.8%	.0%	33.8%
	IDU	Count	3	1	4
		% within Sex	6.4%	5.6%	6.2%
	M-M & IDU	Count	2	0	2
		% within Sex	4.3%	.0%	3.1%
	Heterosexual Contact	Count	5	5	10
		% within Sex	10.6%	27.8%	15.4%
	Not Classified	Count	13	11	24
		% within Sex	27.7%	61.1%	36.9%
	Ped Parent at Risk	Count	2	1	3
		% within Sex	4.3%	5.6%	4.6%
Total		Count	47	18	65
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Adult-Ped		
			D !!	Adult/	-
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	32	33
		% within Adult-Ped	33.3%	51.6%	50.8%
	African American	Count	2	26	28
		% within Adult-Ped	66.7%	41.9%	43.1%
	Hispanic	Count	0	3	3
		% within Adult-Ped	.0%	4.8%	4.6%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	1.6%	1.5%
Total		Count	3	62	65
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	1	5	6
Diagnosis		% within Sex	1.9%	17.2%	7.4%
	20-24	Count	7	6	13
		% within Sex	13.5%	20.7%	16.0%
	25-29	Count	5	9	14
		% within Sex	9.6%	31.0%	17.3%
	30-34	Count	16	2	18
		% within Sex	30.8%	6.9%	22.2%
	35-39	Count	8	2	10
		% within Sex	15.4%	6.9%	12.3%
	40-44	Count	7	2	9
		% within Sex	13.5%	6.9%	11.1%
	45-49	Count	4	2	6
		% within Sex	7.7%	6.9%	7.4%
	50-54	Count	3	0	3
		% within Sex	5.8%	.0%	3.7%
	55-59	Count	1	0	1
		% within Sex	1.9%	.0%	1.2%
	65-69	Count	0	1	1
		% within Sex	.0%	3.4%	1.2%
Total		Count	52	29	81
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	23	9	32
		% within Sex	44.2%	31.0%	39.5%
	African American	Count	26	18	44
		% within Sex	50.0%	62.1%	54.3%
	Hispanic	Count	2	2	4
		% within Sex	3.8%	6.9%	4.9%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	1.9%	.0%	1.2%
Total		Count	52	29	81
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	24	0	24
Exposure		% within Sex	46.2%	.0%	29.6%
	IDU	Count	3	4	7
		% within Sex	5.8%	13.8%	8.6%
	M-M & IDU	Count	3	0	3
		% within Sex	5.8%	.0%	3.7%
	Heterosexual Contact	Count	11	13	24
		% within Sex	21.2%	44.8%	29.6%
	Not Classified	Count	11	12	23
		% within Sex	21.2%	41.4%	28.4%
Total		Count	52	29	81
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Adult-Ped	
			Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	32	32
		% within Adult-Ped	39.5%	39.5%
	African American	Count	44	44
		% within Adult-Ped	54.3%	54.3%
	Hispanic	Count	4	4
		% within Adult-Ped	4.9%	4.9%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	1.2%	1.2%
Total		Count	81	81
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Se	Sex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	6	1	7
Diagnosis		% within Sex	2.6%	.8%	1.9%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	.8%	.3%
	2-4	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	5-12	Count	2	0	2
		% within Sex	.9%	.0%	.6%
	13-19	Count	6	19	25
		% within Sex	2.6%	15.0%	6.9%
	20-24	Count	28	38	66
		% within Sex	11.9%	29.9%	18.2%
	25-29	Count	32	23	55
		% within Sex	13.6%	18.1%	15.2%
	30-34	Count	39	11	50
		% within Sex	16.6%	8.7%	13.8%
	35-39	Count	59	15	74
		% within Sex	25.1%	11.8%	20.4%
	40-44	Count	26	9	35
		% within Sex	11.1%	7.1%	9.7%
	45-49	Count	11	5	16
		% within Sex	4.7%	3.9%	4.4%
	50-54	Count	12	2	14
		% within Sex	5.1%	1.6%	3.9%
	55-59	Count	5	1	6
		% within Sex	2.1%	.8%	1.7%
	60-64	Count	7	0	7
		% within Sex	3.0%	.0%	1.9%
	65-69	Count	1	1	2
		% within Sex	.4%	.8%	.6%
	70+	Count	0	1	1
		% within Sex	.0%	.8%	.3%
Total		Count	235	127	362
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	124	46	170
		% within Sex	52.8%	36.2%	47.0%
	African American	Count	96	76	172
		% within Sex	40.9%	59.8%	47.5%
	Hispanic	Count	13	4	17
		% within Sex	5.5%	3.1%	4.7%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	Not Specified	Count	1	1	2
		% within Sex	.4%	.8%	.6%
Total		Count	235	127	362
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	102	0	102
Exposure		% within Sex	43.4%	.0%	28.2%
	IDU	Count	19	26	45
		% within Sex	8.1%	20.5%	12.4%
	M-M & IDU	Count	28	0	28
		% within Sex	11.9%	.0%	7.7%
	Heterosexual Contact	Count	29	44	73
		% within Sex	12.3%	34.6%	20.2%
	Transfusion	Count	2	0	2
		% within Sex	.9%	.0%	.6%
	Not Classified	Count	46	55	101
		% within Sex	19.6%	43.3%	27.9%
	Ped Parent at Risk	Count	9	2	11
		% within Sex	3.8%	1.6%	3.0%
Total		Count	235	127	362
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	5	165	170
		% within Adult-Ped	45.5%	47.0%	47.0%
	African American	Count	5	167	172
		% within Adult-Ped	45.5%	47.6%	47.5%
	Hispanic	Count	1	16	17
		% within Adult-Ped	9.1%	4.6%	4.7%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.3%	.3%
	Not Specified	Count	0	2	2
		% within Adult-Ped	.0%	.6%	.6%
Total		Count	11	351	362
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

Diagnosis 1	(0-11 mo) (12-23 mo)	Count % within Sex Count	Male 5 2.2%	Female 1	Total 6
Diagnosis 1	(12-23 mo)	% within Sex		•	6
1	,		2.2%		
	,	Count		.8%	1.7%
			0	1	1
2-		% within Sex	.0%	.8%	.3%
_	-4	Count	1	0	1
		% within Sex	.4%	.0%	.3%
5-	-12	Count	2	0	2
		% within Sex	.9%	.0%	.6%
1;	3-19	Count	6	18	24
		% within Sex	2.6%	14.5%	6.8%
20	0-24	Count	28	37	65
		% within Sex	12.3%	29.8%	18.5%
2	5-29	Count	32	23	55
		% within Sex	14.1%	18.5%	15.7%
30	0-34	Count	38	11	49
		% within Sex	16.7%	8.9%	14.0%
3!	5-39	Count	59	15	74
		% within Sex	26.0%	12.1%	21.1%
40	0-44	Count	26	8	34
		% within Sex	11.5%	6.5%	9.7%
4!	5-49	Count	10	5	15
		% within Sex	4.4%	4.0%	4.3%
50	0-54	Count	11	2	13
		% within Sex	4.8%	1.6%	3.7%
5!	5-59	Count	4	1	5
		% within Sex	1.8%	.8%	1.4%
60	0-64	Count	4	0	4
		% within Sex	1.8%	.0%	1.1%
6	5-69	Count	1	1	2
		% within Sex	.4%	.8%	.6%
7(0+	Count	0	1	1
		% within Sex	.0%	.8%	.3%
Total		Count	227	124	351
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	0 (0-11 mo)	Count	1	1	2
Age		% within Sex	.4%	.8%	.6%
	2-4	Count	3	0	3
		% within Sex	1.3%	.0%	.9%
	5-12	Count	4	1	5
		% within Sex	1.8%	.8%	1.4%
	13-19	Count	1	1	2
		% within Sex	.4%	.8%	.6%
	20-24	Count	17	31	48
		% within Sex	7.5%	25.0%	13.7%
	25-29	Count	20	27	47
		% within Sex	8.8%	21.8%	13.4%
	30-34	Count	34	19	53
		% within Sex	15.0%	15.3%	15.1%
	35-39	Count	41	11	52
		% within Sex	18.1%	8.9%	14.8%
	40-44	Count	50	17	67
		% within Sex	22.0%	13.7%	19.1%
	45-49	Count	30	6	36
		% within Sex	13.2%	4.8%	10.3%
	50-54	Count	10	5	15
		% within Sex	4.4%	4.0%	4.3%
	55-59	Count	8	3	11
		% within Sex	3.5%	2.4%	3.1%
	60-64	Count	6	0	6
		% within Sex	2.6%	.0%	1.7%
	65-69	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	70+	Count	1	2	3
		% within Sex	.4%	1.6%	.9%
Total		Count	227	124	351
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	119	45	164
		% within Sex	52.4%	36.3%	46.7%
	African American	Count	93	74	167
		% within Sex	41.0%	59.7%	47.6%
	Hispanic	Count	13	4	17
		% within Sex	5.7%	3.2%	4.8%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	Not Specified	Count	1	1	2
		% within Sex	.4%	.8%	.6%
Total		Count	227	124	351
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	101	0	101
Exposure		% within Sex	44.5%	.0%	28.8%
	IDU	Count	18	25	43
		% within Sex	7.9%	20.2%	12.3%
	M-M & IDU	Count	25	0	25
		% within Sex	11.0%	.0%	7.1%
	Heterosexual Contact	Count	29	43	72
		% within Sex	12.8%	34.7%	20.5%
	Transfusion	Count	2	0	2
		% within Sex	.9%	.0%	.6%
	Not Classified	Count	44	54	98
		% within Sex	19.4%	43.5%	27.9%
	Ped Parent at Risk	Count	8	2	10
		% within Sex	3.5%	1.6%	2.8%
Total		Count	227	124	351
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	5	159	164
		% within Adult-Ped	50.0%	46.6%	46.7%
	African American	Count	4	163	167
		% within Adult-Ped	40.0%	47.8%	47.6%
	Hispanic	Count	1	16	17
		% within Adult-Ped	10.0%	4.7%	4.8%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.3%	.3%
	Not Specified	Count	0	2	2
		% within Adult-Ped	.0%	.6%	.6%
Total		Count	10	341	351
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	1	0	1
Diagnosis		% within Sex	2.9%	.0%	1.7%
	20-24	Count	3	6	9
		% within Sex	8.8%	24.0%	15.3%
	25-29	Count	1	8	9
		% within Sex	2.9%	32.0%	15.3%
	30-34	Count	8	5	13
		% within Sex	23.5%	20.0%	22.0%
	35-39	Count	2	1	3
		% within Sex	5.9%	4.0%	5.1%
	40-44	Count	8	1	9
		% within Sex	23.5%	4.0%	15.3%
	45-49	Count	3	1	4
		% within Sex	8.8%	4.0%	6.8%
	50-54	Count	4	1	5
		% within Sex	11.8%	4.0%	8.5%
	55-59	Count	2	2	4
		% within Sex	5.9%	8.0%	6.8%
	65-69	Count	1	0	1
		% within Sex	2.9%	.0%	1.7%
	70+	Count	1	0	1
		% within Sex	2.9%	.0%	1.7%
Total		Count	34	25	59
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	15	13	28
		% within Sex	44.1%	52.0%	47.5%
	African American	Count	17	11	28
		% within Sex	50.0%	44.0%	47.5%
	Hispanic	Count	2	1	3
		% within Sex	5.9%	4.0%	5.1%
Total		Count	34	25	59
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	19	0	19
Exposure		% within Sex	55.9%	.0%	32.2%
	IDU	Count	2	1	3
		% within Sex	5.9%	4.0%	5.1%
	M-M & IDU	Count	2	0	2
		% within Sex	5.9%	.0%	3.4%
	Heterosexual Contact	Count	2	13	15
		% within Sex	5.9%	52.0%	25.4%
	Transfusion	Count	1	0	1
		% within Sex	2.9%	.0%	1.7%
	Not Classified	Count	8	11	19
		% within Sex	23.5%	44.0%	32.2%
Total		Count	34	25	59
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	28	28
		% within Adult-Ped	47.5%	47.5%
	African American	Count	28	28
		% within Adult-Ped	47.5%	47.5%
	Hispanic	Count	3	3
		% within Adult-Ped	5.1%	5.1%
Total	_	Count	59	59
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	0	7	7
Diagnosis		% within Sex	.0%	50.0%	11.1%
	25-29	Count	7	3	10
		% within Sex	14.3%	21.4%	15.9%
	30-34	Count	9	0	9
		% within Sex	18.4%	.0%	14.3%
	35-39	Count	13	2	15
		% within Sex	26.5%	14.3%	23.8%
	40-44	Count	9	1	10
		% within Sex	18.4%	7.1%	15.9%
	45-49	Count	8	1	9
		% within Sex	16.3%	7.1%	14.3%
	50-54	Count	2	0	2
		% within Sex	4.1%	.0%	3.2%
	55-59	Count	1	0	1
		% within Sex	2.0%	.0%	1.6%
Total		Count	49	14	63
- 1100.4		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	27	4	31
		% within Sex	55.1%	28.6%	49.2%
	African American	Count	16	10	26
		% within Sex	32.7%	71.4%	41.3%
	Hispanic	Count	6	0	6
		% within Sex	12.2%	.0%	9.5%
Total		Count	49	14	63
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	24	0	24
Exposure		% within Sex	49.0%	.0%	38.1%
	IDU	Count	5	1	6
		% within Sex	10.2%	7.1%	9.5%
	M-M & IDU	Count	7	0	7
		% within Sex	14.3%	.0%	11.1%
	Heterosexual Contact	Count	1	9	10
		% within Sex	2.0%	64.3%	15.9%
	Transfusion	Count	1	0	1
		% within Sex	2.0%	.0%	1.6%
	Not Classified	Count	11	4	15
		% within Sex	22.4%	28.6%	23.8%
Total		Count	49	14	63
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	31	31
		% within Adult-Ped	49.2%	49.2%
	African American	Count	26	26
		% within Adult-Ped	41.3%	41.3%
	Hispanic	Count	6	6
		% within Adult-Ped	9.5%	9.5%
Total	_	Count	63	63
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	1 (12-23 mo)	Count	0	2	2
Diagnosis		% within Sex	.0%	1.2%	.2%
	5-12	Count	1	1	2
		% within Sex	.1%	.6%	.2%
	13-19	Count	4	8	12
		% within Sex	.5%	4.8%	1.3%
	20-24	Count	28	29	57
		% within Sex	3.7%	17.3%	6.1%
	25-29	Count	117	33	150
		% within Sex	15.4%	19.6%	16.1%
	30-34	Count	196	28	224
		% within Sex	25.8%	16.7%	24.1%
	35-39	Count	167	26	193
		% within Sex	21.9%	15.5%	20.8%
	40-44	Count	103	14	117
		% within Sex	13.5%	8.3%	12.6%
	45-49	Count	67	16	83
		% within Sex	8.8%	9.5%	8.9%
	50-54	Count	37	5	42
		% within Sex	4.9%	3.0%	4.5%
	55-59	Count	16	4	20
		% within Sex	2.1%	2.4%	2.2%
	60-64	Count	11	2	13
		% within Sex	1.4%	1.2%	1.4%
	65-69	Count	9	0	9
		% within Sex	1.2%	.0%	1.0%
	70+	Count	5	0	5
		% within Sex	.7%	.0%	.5%
Total		Count	761	168	929
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	488	77	565
		% within Sex	64.1%	45.8%	60.8%
	African American	Count	230	87	317
		% within Sex	30.2%	51.8%	34.1%
	Hispanic	Count	43	4	47
		% within Sex	5.7%	2.4%	5.1%
Total		Count	761	168	929
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	431	0	431
Exposure		% within Sex	56.6%	.0%	46.4%
	IDU	Count	77	49	126
		% within Sex	10.1%	29.2%	13.6%
	M-M & IDU	Count	123	0	123
		% within Sex	16.2%	.0%	13.2%
	Hemophiliac	Count	4	0	4
		% within Sex	.5%	.0%	.4%
	Heterosexual Contact	Count	29	66	95
		% within Sex	3.8%	39.3%	10.2%
	Transfusion	Count	16	4	20
		% within Sex	2.1%	2.4%	2.2%
	Not Classified	Count	79	45	124
		% within Sex	10.4%	26.8%	13.3%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	1	3	4
		% within Sex	.1%	1.8%	.4%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.6%	.1%
Total		Count	761	168	929
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	564	565
		% within Adult-Ped	25.0%	61.0%	60.8%
	African American	Count	3	314	317
		% within Adult-Ped	75.0%	33.9%	34.1%
	Hispanic	Count	0	47	47
		% within Adult-Ped	.0%	5.1%	5.1%
Total		Count	4	925	929
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	1 (12-23 mo)	Count	0	2	2
Diagnosis		% within Sex	.0%	1.8%	.4%
	13-19	Count	3	6	9
		% within Sex	.8%	5.3%	1.8%
	20-24	Count	11	22	33
		% within Sex	2.8%	19.3%	6.5%
	25-29	Count	56	23	79
		% within Sex	14.3%	20.2%	15.6%
	30-34	Count	99	20	119
		% within Sex	25.3%	17.5%	23.6%
	35-39	Count	95	13	108
		% within Sex	24.3%	11.4%	21.4%
	40-44	Count	55	9	64
		% within Sex	14.1%	7.9%	12.7%
	45-49	Count	32	12	44
		% within Sex	8.2%	10.5%	8.7%
	50-54	Count	24	4	28
		% within Sex	6.1%	3.5%	5.5%
	55-59	Count	9	3	12
		% within Sex	2.3%	2.6%	2.4%
	60-64	Count	3	0	3
		% within Sex	.8%	.0%	.6%
	65-69	Count	2	0	2
		% within Sex	.5%	.0%	.4%
	70+	Count	2	0	2
		% within Sex	.5%	.0%	.4%
Total		Count	391	114	505
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	13-19	Count	1	2	3
Age		% within Sex	.3%	1.8%	.6%
	20-24	Count	2	14	16
		% within Sex	.5%	12.3%	3.2%
	25-29	Count	6	18	24
		% within Sex	1.5%	15.8%	4.8%
	30-34	Count	44	17	61
		% within Sex	11.3%	14.9%	12.1%
	35-39	Count	96	16	112
		% within Sex	24.6%	14.0%	22.2%
	40-44	Count	100	15	115
		% within Sex	25.6%	13.2%	22.8%
	45-49	Count	60	16	76
		% within Sex	15.3%	14.0%	15.0%
	50-54	Count	34	8	42
		% within Sex	8.7%	7.0%	8.3%
	55-59	Count	25	6	31
		% within Sex	6.4%	5.3%	6.1%
	60-64	Count	13	2	15
		% within Sex	3.3%	1.8%	3.0%
	65-69	Count	6	0	6
		% within Sex	1.5%	.0%	1.2%
	70+	Count	4	0	4
		% within Sex	1.0%	.0%	.8%
Total		Count	391	114	505
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	234	52	286
		% within Sex	59.8%	45.6%	56.6%
	African American	Count	129	60	189
		% within Sex	33.0%	52.6%	37.4%
	Hispanic	Count	28	2	30
		% within Sex	7.2%	1.8%	5.9%
Total		Count	391	114	505
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	216	0	216
Exposure		% within Sex	55.2%	.0%	42.8%
	IDU	Count	36	30	66
		% within Sex	9.2%	26.3%	13.1%
	M-M & IDU	Count	67	0	67
		% within Sex	17.1%	.0%	13.3%
	Hemophiliac	Count	3	0	3
		% within Sex	.8%	.0%	.6%
	Heterosexual Contact	Count	20	45	65
		% within Sex	5.1%	39.5%	12.9%
	Transfusion	Count	5	2	7
		% within Sex	1.3%	1.8%	1.4%
	Not Classified	Count	43	35	78
		% within Sex	11.0%	30.7%	15.4%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.3%	.0%	.2%
	Ped Parent at Risk	Count	0	2	2
		% within Sex	.0%	1.8%	.4%
Total		Count	391	114	505
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	285	286
		% within Adult-Ped	50.0%	56.7%	56.6%
	African American	Count	1	188	189
		% within Adult-Ped	50.0%	37.4%	37.4%
	Hispanic	Count	0	30	30
		% within Adult-Ped	.0%	6.0%	5.9%
Total		Count	2	503	505
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	5	1	6
Diagnosis		% within Sex	.8%	.4%	.7%
	1 (12-23 mo)	Count	0	3	3
		% within Sex	.0%	1.3%	.4%
	2-4	Count	1	0	1
		% within Sex	.2%	.0%	.1%
	5-12	Count	2	0	2
		% within Sex	.3%	.0%	.2%
	13-19	Count	9	24	33
		% within Sex	1.5%	10.1%	3.9%
	20-24	Count	39	59	98
		% within Sex	6.3%	24.8%	11.4%
	25-29	Count	88	46	134
		% within Sex	14.2%	19.3%	15.7%
	30-34	Count	137	31	168
		% within Sex	22.2%	13.0%	19.6%
	35-39	Count	154	28	182
		% within Sex	24.9%	11.8%	21.3%
	40-44	Count	81	17	98
		% within Sex	13.1%	7.1%	11.4%
	45-49	Count	42	17	59
		% within Sex	6.8%	7.1%	6.9%
	50-54	Count	35	6	41
		% within Sex	5.7%	2.5%	4.8%
	55-59	Count	13	4	17
		% within Sex	2.1%	1.7%	2.0%
	60-64	Count	7	0	7
		% within Sex	1.1%	.0%	.8%
	65-69	Count	3	1	4
		% within Sex	.5%	.4%	.5%
	70+	Count	2	1	3
		% within Sex	.3%	.4%	.4%
Total		Count	618	238	856
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	0 (0-11 mo)	Count	1	1	2
Age		% within Sex	.2%	.4%	.2%
	2-4	Count	3	0	3
		% within Sex	.5%	.0%	.4%
	5-12	Count	4	1	5
		% within Sex	.6%	.4%	.6%
	13-19	Count	2	3	5
		% within Sex	.3%	1.3%	.6%
	20-24	Count	19	45	64
		% within Sex	3.1%	18.9%	7.5%
	25-29	Count	26	45	71
		% within Sex	4.2%	18.9%	8.3%
	30-34	Count	78	36	114
		% within Sex	12.6%	15.1%	13.3%
	35-39	Count	137	27	164
		% within Sex	22.2%	11.3%	19.2%
	40-44	Count	150	32	182
		% within Sex	24.3%	13.4%	21.3%
	45-49	Count	90	22	112
		% within Sex	14.6%	9.2%	13.1%
	50-54	Count	44	13	57
		% within Sex	7.1%	5.5%	6.7%
	55-59	Count	33	9	42
		% within Sex	5.3%	3.8%	4.9%
	60-64	Count	19	2	21
		% within Sex	3.1%	.8%	2.5%
	65-69	Count	7	0	7
		% within Sex	1.1%	.0%	.8%
	70+	Count	5	2	7
		% within Sex	.8%	.8%	.8%
Total		Count	618	238	856
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	353	97	450
		% within Sex	57.1%	40.8%	52.6%
	African American	Count	222	134	356
		% within Sex	35.9%	56.3%	41.6%
	Hispanic	Count	41	6	47
		% within Sex	6.6%	2.5%	5.5%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.2%	.0%	.1%
	Not Specified	Count	1	1	2
		% within Sex	.2%	.4%	.2%
Total		Count	618	238	856
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	317	0	317
Exposure		% within Sex	51.3%	.0%	37.0%
	IDU	Count	54	55	109
		% within Sex	8.7%	23.1%	12.7%
	M-M & IDU	Count	92	0	92
		% within Sex	14.9%	.0%	10.7%
	Hemophiliac	Count	3	0	3
		% within Sex	.5%	.0%	.4%
	Heterosexual Contact	Count	49	88	137
		% within Sex	7.9%	37.0%	16.0%
	Transfusion	Count	7	2	9
		% within Sex	1.1%	.8%	1.1%
	Not Classified	Count	87	89	176
		% within Sex	14.1%	37.4%	20.6%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.2%	.0%	.1%
	Ped Parent at Risk	Count	8	4	12
		% within Sex	1.3%	1.7%	1.4%
Total		Count	618	238	856
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	6	444	450
		% within Adult-Ped	50.0%	52.6%	52.6%
	African American	Count	5	351	356
		% within Adult-Ped	41.7%	41.6%	41.6%
	Hispanic	Count	1	46	47
		% within Adult-Ped	8.3%	5.5%	5.5%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.1%	.1%
	Not Specified	Count	0	2	2
		% within Adult-Ped	.0%	.2%	.2%
Total		Count	12	844	856
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler